



കേരള സർക്കാർ  
Government of Kerala  
2020



Regn. No. KERBIL/2012/45073  
dated 5-9-2012 with RNI  
Reg. No. KL/TV(N)/634/2018-20

# കേരള ഗസറ്റ് KERALA GAZETTE

ആധികാരികമായി പ്രസിദ്ധപ്പെടുത്തുന്നത്  
PUBLISHED BY AUTHORITY

വാല്യം 9 Vol. IX	തിരുവനന്തപുരം, ചൊവ്വ Thiruvananthapuram, Tuesday	2020 നവംബർ 17 17th November 2020	നമ്പർ No.	45
		1196 വൃശ്ചികം 2 2nd Vrischikam 1196 1942 കാർത്തികം 26 26th Karthika 1942		

## PART III

## Education Department

നോട്ടീഫിക്കേഷൻ

നമ്പർ ഡി3/2215/2020. 2020 ഒക്ടോബർ 22.

സാങ്കേതിക പരീക്ഷാ കൺട്രോളർ 1982 ഏപ്രിൽ മാസത്തിൽ നടത്തിയ സിവിൽ എഞ്ചിനീയറിംഗ് ഡിപ്ലോമ പരീക്ഷയിൽ എൻ. എസ്. എസ്. പോളിടെക്നിക് പന്തളത്ത് നിന്നും 7246 രജിസ്റ്റർ നമ്പർ പ്രകാരം പാസ്സായ ശ്രീ. വിശ്വേശ്വര ശർമ, ടി. പി. എന്ന ആൾക്ക് നൽകിയ ഡിപ്ലോമ സർട്ടിഫിക്കറ്റ് നഷ്ടപ്പെട്ടുപോയിരിക്കുന്നു. മേൽപ്പറഞ്ഞ സർട്ടിഫിക്കറ്റ് ആർക്കൈവിലും കിട്ടിയിട്ടുണ്ടെങ്കിൽ അത് സാങ്കേതിക പരീക്ഷാ കൺട്രോളർ, തിരുവനന്തപുരം-40 എന്ന വിലാസത്തിൽ അയച്ചുതരുവാൻ താൽപര്യപ്പെടുന്നു.

പുതിയ സർട്ടിഫിക്കറ്റ് കൊടുക്കുന്നതിൽ ആർക്കൈവിലും പരാതി ഉണ്ടെങ്കിൽ ഈ പരസ്യ തീയതി മുതൽ ഒരു മാസത്തിനകം സാങ്കേതിക പരീക്ഷാ കൺട്രോളറെ രേഖാമൂലം അറിയിക്കേണ്ടതാണ്.

സാങ്കേതിക പരീക്ഷാ

കൺട്രോളറുടെ കാര്യാലയം,

തിരുവനന്തപുരം.

(ഒപ്പ്)

ജോയിന്റ് കൺട്രോളർ.

ഗവ. എഞ്ചിനീയറിംഗ് കോളേജ്, കണ്ണൂർ

ലഘു ദർഘാസ് പരസ്യം

നമ്പർ ഡി3/7055/19/ജി.സി.ഇ.കെ. 2020 ഒക്ടോബർ 21.

കണ്ണൂർ എഞ്ചിനീയറിംഗ് കോളേജിലെ സിവിൽ എഞ്ചിനീയറിംഗ് വിഭാഗത്തിലെ എച്ച്.ഒ.ഡി. റൂം, ഇലക്ട്രിക്കൽ ആന്റ് ഇലക്ട്രോണിക്സ് എഞ്ചിനീയറിംഗ് വിഭാഗത്തിലെ (ബി ബ്ലോക്ക്) ടോയ്ലറ്റ് എന്നിവ പുനർ നിർമ്മിക്കുന്ന പ്രവർത്തി ചെയ്യാൻ താൽപ്പര്യമുള്ള സ്ഥാപനങ്ങളിൽ നിന്നും മുദ്രവെച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

ദർഘാസ് നമ്പർ—3/7055/2019/ജി.സി.ഇ.കെ.

ഇതം—Modification of CE, HOD's Room and Renovation of Toilet in B Block

അടങ്കൽ തുക—₹ 1,64,000.

ദർഘാസ് ഫോറത്തിന്റെ വില :

ഒറിജിനൽ—₹ 452.

ഡ്യൂപ്ലിക്കേറ്റ്—₹ 226.

തപാൽ വഴി—₹ 452+ ₹ 30.

ദർഘാസ് ഫോറത്തിന്റെ വിൽപ്പനയുടെ അവസാന തീയതിയും സമയവും—23-11-2020, 2 മണി.

ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—23-11-2020, 3 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—24-11-2020, 11 മണി.

ദർഘാസ് വില പണമായിട്ടോ മണിയോർഡർ ആയിട്ടോ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. ദർഘാസ് നമ്പർ, തീയതി എന്നിവ രേഖപ്പെടുത്തി മുദ്രവച്ച കവറുകൾ പ്രിൻസിപ്പാൾ, ഗവ. എഞ്ചിനീയറിംഗ് കോളേജ്, കണ്ണൂർ-670 563 എന്ന മേൽവിലാസത്തിൽ അയയ്ക്കേണ്ടതാണ്. താമസിച്ച് ലഭിക്കുന്ന ദർഘാസുകൾ പരിഗണിക്കുന്നതല്ല. ഒറിജിനൽ ദർഘാസ് പ്രമാണത്തോടൊപ്പം ആകെ വിലയുടെ 1% നിരതദ്രവ്യവും ₹ 200 വിലയുള്ള കേരള മുദ്രപത്രത്തിൽ പ്രാഥമിക കരാർ പത്രവും ഉണ്ടായിരിക്കേണ്ടതാണ്.

ദർഘാസ് തുറക്കുന്ന തീയതി മുതൽ ആറുമാസം വരെ വില നിരക്കിന് പ്രാബല്യം ഉണ്ടായിരിക്കേണ്ടതാണ്. ദർഘാസ് പ്രമാണം കൈമാറ്റം ചെയ്യാൻ പാടില്ലാത്തതാണ്.

No. D3-7055/2019/GCEK. 21st October 2020.

Sealed tenders are invited for the Modification of CE, HOD's Room and Renovation of Toilet in B Block of Govt. College of Engineering, Kannur.

Tender No.—D3/7055/19/GCEK.

Items—Modification of CE, HOD's Room and Renovation of Toilet in B Block.

Approximate Cost —₹ 1,64,000.

Cost of tender form :

Original—₹ 452.

Duplicate—₹ 226.

By Post (Original)—₹ 482 (₹ 452+ ₹ 30).

Last date and time for sale of tender form—23-11-2020, 2 p. m.

Last date and time of receipt of tender—23-11-2020, 3 p. m.

Date and time of opening of tender—24-11-2020, 11 a.m.

Intending tenderers may on application to the undersigned to obtain the requisite tender form on which tenders to be submitted. Application for the tender form should be accompanied by a remittance of above prices fixed for the same and which is non-refundable under any circumstances. The tender forms are not transferable. Cost of tender form is only acceptable by money order or cash remittance to this office. As per condition the tenderer should send along with his tender an agreement executed and signed in Kerala Stamp Paper value of ₹ 200 and Earnest Money Deposit 1% of the total cost of articles tendered. Tenders without agreement, tender form and Earnest Money Deposit will be rejected.

For more details please visit our College website ([www.gcek.ac.in](http://www.gcek.ac.in)) or contact College Office during working hours. Ph. 04972 780226.

#### ESTIMATE FOR THE MODIFICATION OF HOD'S ROOM

Sl. No.	Description of work	No.	L(m)	B(m)	D(m)	Quantity
(1)	(2)	(3)	(4)	(5)	(6)	(7)
1 Tile Work:						
	Providing and	1	8.70	7.00	..	60.90 m <sup>2</sup>
	laying Vitrified	1	3.60	1.95	..	7.02 m <sup>2</sup>
	floor tile of size					
	600 × 600 (Ivory)	1	1.70	1.45	..	2.47 m <sup>2</sup>
	using Gluing paste:	1	1.00	0.30	..	0.30 m <sup>2</sup>
		1	0.80	0.25	..	0.20 m <sup>2</sup>
	Skirting:	2	8.70	0.10	..	1.74 m <sup>2</sup>
		1	7.00	0.10	..	0.70 m <sup>2</sup>
		2	1.96	0.10	..	0.39 m <sup>2</sup>
		1	3.65	0.10	..	0.37 m <sup>2</sup>
						Total 74.00 m <sup>2</sup>
2 Dismantling the						
tiles in toilet and						
stacking within						
50m lead						
	Floor	1	1.70	1.45	..	2.47 m <sup>2</sup>
	Wall	2	1.45	1.50	..	2.71 m <sup>2</sup>
		2	1.70	1.50	..	2.47 m <sup>2</sup>
	Deduction	1	1.00	1.50	..	1.50 m <sup>2</sup>
						6.15 m <sup>2</sup>

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(1)	(2)	(3)	(4)	(5)	(6)	(7)
3 Toilet Flooring :							Providing and fixing 2	1.70	0.50	..	1.70 m <sup>2</sup>		
Providing and laying							partition for the						
mat finished	1	1.70	1.45	..	2.47 m <sup>2</sup>		existing space over						
vittrified Floor tile							the concrete rack						
of size	1	0.80	0.30	..	0.24 m <sup>2</sup>		using coated tubular						
300 × 300 mm							aluminium section						
Ivory colour over					Total	2.71m <sup>2</sup>	(50 × 20 mm) and						
12mm thick bed							sintex PVC board of						
of cement mortar							thickness 6 mm						
1:3 and jointing							7 Providing and fixing						
with matching							white vitreous china						
pigments etc.							Pedestal type water						
4 Providing and laying	2	1.70	1.50	..	5.10 m <sup>2</sup>		closet (European type						
Glazed Wall tile of	2	1.45	1.50	..	4.35 m <sup>2</sup>		W. C. pan) with seat						
sized 450 × 300mm							and lid, 10 litre low						
over 12mm thick							level white P. V. C.						
bed of cement mortar	1	1.00	1.50	..	1.50 m <sup>2</sup>		flushing cistern,						
1:3 and jointing							including flush pipe, 1	..	..	..	..	..	..
with matching							with manually						
pigments etc.							controlled device						
Deduction					7.95 m <sup>2</sup>		(handle lever) with						
5 Providing and fixing	1	2.00	0.80	..	1.60 m <sup>2</sup>		all fitting and fixtures						
door with partially							complete.						
glazed and opaque							8 Providing and fixing						
with sintax pvc							White vitreous						
board 6mm thick							China wash basin						
using coated							size 630 × 450mm						
tubular aluminium							with a single 15 mm						
rectangular sections							C. P brass pillar tape, 1	..	..	..	..	..	..
(50×20 mm)							with C. I. brackets,						
6 Sliding door for	4	1.70	0.60	..	4.08 m <sup>2</sup>		32 mm C. P. brass						
existing shelves							waste of standard						
on Hod's room							pattern.						
using coated tubular							9 providing and fixing	1	..	..	..	..	..
aluminium section							Jagger long Body Tap						
(50×20 mm) and							trim Bathroom faucer						
sintex PVC board							water Tap by replacing						
of thickness 6mm							the old one						
including all cost,							10 Providing and fixing	1	..	..	..	..	..
labour etc. complete							havells Ventilair DX						
							200mm, 5 blade						
							Exhaust Fan (white)						

for toilet and closing  
the excess openings  
with bricks and  
cement mortar,  
plastering, painting  
with matching  
colour etc.

# 11 Unforeseen items

if any

## ESTIMATE FOR RENOVATION OF TOILET FOR B BLOCK

1. 11.40 Providing and laying rectified Glazed Ceramic floor tiles of size 300 × 300mm or more (thickness to be specified by the manufacturer) of 1st quality conforming to IS 15622 of approved make in all colours, shades, except white, Ivory, Grey fume Red Brown, laid on 20mm thick cement mortar 1:4 (1 cement :4 Coarse sand) including pointing the joints with white cement and matching pigments etc. Complete.

Toilet	1x	3.09x	2.04
--------	----	-------	------

Flooring	2x	1.44x	1.44
----------	----	-------	------

2. 17.21 Providing and fixing White vitreous china pedestal type water closet (European type W. C. Pan) with seat and lid, 10 litre low level white PVC flushing cistern, including flush pipe with manually controlled device (handle lever) conforming to IS: 7231 with all fitting and fixtures complete, including cutting 1 No.

3. 17.1.1 Providing and fixing water closet squatting pan (Indian type W. C. pan) with 100mm sand cast Iron P or S trap, 10 litre low level white P. V. C. flushing cistern, including flush pipe with manually controlled device (handle over) conforming to IS:7231 with all fittings and fixture complete, including cutting and making good the walls and floors wherever required.

White Vitreous china Orissa pattern W. C. pan of size 580 × 440mm with integral type foot rests 1 No.

4. 17.4.3 Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430 × 260 × 350mm sizes respectively with automatic flushing cistern with standard flush pipe and C. P. brass spreaders with brass unions and G. I. clamps complete, including painting of fittings and brackets, cutting and making good the walls floors wherever required:

Range of three urinal basins with 10 litre white P. V. C. automatic flushing cistern

5. Providing a syntax door good quality including all fittings and labour charges etc. complete including frame and shutter LS 2 Nos.
6. Ls for unforeseen item like demolishing the old work sanitary and tile work if any.

Govt. College of Engineering,  
Kannur.

(Sd.)  
Principal.